

DATASHEET

GRYPHON



GENERAL

Art.Nr:	G-1172-L/XL	Standards:	EN 358:2018, EN 361:2002, EN 813:2008
GTIN:	8057733308974	Net weight:	2.90 kg
E-class number:	40-02-01-02	Gross weight:	2.90 kg
Customs tariff number:	63079098		

DATASHEET

GRYPHON

Comfortable and ergonomic harness equipped with six attachment points and specifically developed for rope access work.

Main features:

- close-fitting construction and wide lumbar support belt with breathable mesh padding for optimal comfort during prolonged suspensions;
- contoured shoulder straps with shape optimized to avoid neck chafing;
- shoulder strap equipped with quick-release buckle;
- leg-loop quick-release buckles with indicator for correct insertion;
- leg-loops designed with targeted panel construction to ensure optimal comfort while in suspension by relieving pressure in the groin area;
- adjustable rear straps that allow the leg loops to be moved along the legs;
- large EN 361 sternal attachment point to facilitate rescue operations;
- EN 358 lateral attachment points with two positions: outward-facing when in use (work mode); inward-folded when not in use (stand-by mode) in order not to hamper the operator's movements;
- EN 361 dorsal attachment point designed to avoid accidentally getting snagged, especially while working in confined spaces;
- attachment point on the rear of the waistbelt, marked by the letter R and exclusively intended for the connection of a restraint lanyard;
- dedicated loop for quick-link, to be used for the addition of a ventral rope clamp in combination with appropriate straps;
- two horizontal straps positioned on the shoulder straps and exclusively intended for the insertion of HOOK REST support;
- two dedicated loops for the connection of a

FEATURES

Attachment points:	Sternal aluminium attachment point, Dorsal steel attachment point, Side aluminium attachment point, Sit harness aluminium attachment point, Restraint polyester attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	4
Number of material loops 15 kg:	0
Application areas:	Arborists, RBA rigging, Emergency, Facades cleaning, Rescue, Roofers, Route construction, Shaft, Steelwork, Telco energy, Wind energy, Working in confined spaces
Colour:	Black, Orange
Harness features:	Lanyard parking ring
Hand wash:	40 °C
Maximum body height:	205 cm
Maximum lifetime:	10 years
Maximum hip size:	120 cm
Maximum leg size:	70 cm
Maximum temperature:	60 °C
Minimum body height:	180 cm
Minimum hip size:	80 cm

DATASHEET

GRYPHON

work-positioning seat;

- four large gear-loops, six loops for the tool-holder pouch and four slots for carrying-tools carabiners;
- maximum load: 140 kg.

Minimum leg size: 55 cm

Minimum temperature: -20 °C

Padding: Shoulder paddings, Back padding, Leg paddings

Buckles: stick_buckle, click_buckle

Adjusting buckles: Adjusting buckles shoulders, Adjusting buckles hips, Adjusting buckles legs

DIMENSIONS

Size: L-XL

MATERIAL

Material: Polyamide, Polyester, Polyethylene, Steel, Aluminium
