

DATASHEET IGNITE SKYFIZZ





GENERAL

Art.Nr:	G-0131-XS/M
GTIN:	4030281010135
E-class number:	40-02-01-02
Customs tariff number:	63079098

Standards:	EN 361:2002
Net weight:	1.93 kg
Gross weight:	1.93 kg



DATASHEET IGNITE SKYFIZZ

The high-performance complete harness IGNITE SKYFIZZ is the all-rounder for maintenance work and construction. Thanks to its innovative features, it offers

users the opportunity to concentrate on the essentials at work, thereby

increasing productivity many times over. The robust harness has durable plastic

material eyelets (15 kg load capacity). Due to the individual adjustment, the

central O-ring sits optimally on the body. The comfortable large-area back

padding ensures an even distribution of the load and is breathable. The

double-wrapped and firmly sewn terminations secure loose webbing and prevent slipping.

• High performance complete harness for maintenance work

 Durable plastic material eyelets -Comfortable back padding

FEATURES

Attachment points:	Sternal steel attachment point, Dorsal steel attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	2
Application areas:	Facades cleaning, lithium_ion, Steelwork
Colour:	Black, Orange, Anthracite
Harness features:	Fallindicator
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	100 cm
Maximum leg size:	65 cm
Maximum temperature:	45 °C
Minimum hip size:	80 cm
Minimum leg size:	50 cm
Minimum temperature:	-35 °C
Padding:	Back padding, Leg paddings
Buckles:	stick_buckle, oktalock
Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles legs
DIMENSIONS	
Size:	XS-M



DATASHEET IGNITE SKYFIZZ

MATERIAL

Material:

Polyester, Steel, Aluminium

www.skylotec.com | Datenblatt, 13.02.24