

DATASHEET ARG 30



GENERAL

Art.Nr:	G-0030
GTIN:	4030281089995
E-class number:	40-02-01-02
Customs tariff number:	63079098

Standards:	EN 361:2002
Net weight:	1.11 kg
Gross weight:	1.11 kg



DATASHEET ARG 30

The high-performance full-body harness ARG 30 is the allrounder for maintenance work and construction. It is light and uncomplicated and yet provides maximum safety. The adjustable buckles in the shoulder and leg areas mean that the ARG 30 can be quickly put on, taken off and adjusted. The harness belt cannot slip while the harness is being worn, and sits compactly against the body, even in cases of head-first falls. The central chest eyelet, made of steel, meets the EN 361 standard and is suitable as a fallarrest eyelet, as well as for rescue.

FEATURES

Attachment points:	Sternal steel attachment point, Dorsal steel attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	0
Application areas:	Roofers, Mobile Work Platforms
Colour:	polyethylene_terephth alate, Black
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	110 cm
Maximum leg size:	70 cm
Maximum temperature:	45 °C
Minimum hip size:	80 cm
Minimum leg size:	55 cm
Minimum temperature:	-35 °C
Buckles:	stick_buckle
Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles legs
DIMENSIONS	
Size:	Unisize
MATERIAL	
Material:	Polyester, Steel



DATASHEET ARG 30

www.skylotec.com I Datenblatt, 18.10.23