



Digital Micrometer IP65

Item number: 293-240-30

Images



L: 0 mm

a: 6.5 mm

b: 25 mm

c: 2.5 mm



L: 0 mm

a: 6.5 mm

b: 25 mm

c: 2.5 mm



Dust- and
Water-
Protected

www.tuv.com
ID 0000040191

L: 0 mm

a: 6.5 mm

b: 25 mm

c: 2.5 mm



L: 0 mm

a: 6.5 mm

b: 25 mm

c: 2.5 mm

Description

This IP65 micrometer offers outstanding accuracy, without data output, is highly robust and offers the following benefits:



- Oil-resistant material used for all plastic parts
- Extraordinary battery life of 2,4 years
- Excellent resistance against water and dust enables this micrometer to be used in machining situations that include splashing coolant fluid.

Features

Digital/Analog:	Digital
Inch-Metric:	Metric
Range:	0 - 25 mm
Digital step:	0.001 mm
Max. Permissible Error	±1 µm

J MPE:

Flatness:	0.3 μm
Parallelism:	1 μm
Data output:	No
Display:	LCD, character height 7.5 mm
Measuring spindle:	With spindle lock, $\varnothing 6.35$ mm, spindle pitch 0.5 mm
Scale:	Thimble and sleeve satin chrome finish, $\varnothing 18$ mm
Measuring force:	5 - 10 N
Power supply:	1 battery SR-44
Battery life:	Approx. 2.4 years
Delivered:	including box, key, 1 battery, gauge block (from 25 mm upward), up to 50 mm measuring range with factory certificate
ABS / INC (INC ZERO):	Yes
Auto Power OFF after 20 min. non use:	Yes
Function lock:	Yes
HOLD:	Yes
YouTube video ID:	0pa-nS5v7Yo
Mass:	270 g

Dimensions**L:** 0 mm**a:** 6.5 mm**b:** 25 mm**c:** 2.5 mm**Accessories****Optional accessories:****Micrometer Stand, 45° Angle Type**

for Micrometer 0-50mm/0-2"

Art No. 156-105-10

Suggested retail price: 56.00 €*



Micrometer Stand, Adjustable Angle Type

for Micrometer 0-100mm/0-4"
Art No. 156-101-10
Suggested retail price: 68.00 €*

Spare parts

Consumable spares:



Battery SR44 1,5 V

Art No. 938882
Suggested retail price: 10.00 €*
