

CRIMPFIX LZ

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

General ordering data

| | |
|------------|--------------------------------|
| Version | Automatic stripper and crimper |
| Order No. | 9027310000 |
| Type | CRIMPFIX LZ |
| GTIN (EAN) | 4032248285440 |
| Qty. | 1 pc(s). |

CRIMPFIX LZ**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

| | | | |
|------------|----------|-----------------|-------------|
| Depth | 330 mm | Depth (inches) | 12.992 inch |
| Height | 460 mm | Height (inches) | 18.11 inch |
| Width | 390 mm | Width (inches) | 15.354 inch |
| Net weight | 36,000 g | | |

PW65 maintenance - automatic stripping/crimping

| | | | |
|---------------------------------------|-------------------------------|---------------------------------------|--|
| Compressed-air connection | 5 - 5.5 bar | Consumables | Twin wire-end ferrules |
| Crimping length | 8 mm | Drive | Electropneumatic |
| Electrical connection | 100-240 V / 50/60 Hz / 110 VA | Length of wire-end ferrule | 14 mm |
| Pulse time | approx. 1 s | Stripping range | 2 x 0.5 - 2 x 1.5 mm ² (~ AWG 2x20 - 2x16) |
| Wire end ferrules cross-section, max. | 1.5 mm ² | Wire end ferrules cross-section, min. | 0.5 mm ² |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC002778 | ETIM 7.0 | EC002778 |
| ETIM 8.0 | EC002778 | ETIM 9.0 | EC002778 |
| ECLASS 9.0 | 17-13-01-01 | ECLASS 9.1 | 17-13-01-01 |
| ECLASS 10.0 | 17-13-01-01 | ECLASS 11.0 | 17-13-01-01 |
| ECLASS 12.0 | 17-13-01-01 | ECLASS 13.0 | 17-13-01-01 |
| ECLASS 14.0 | 17-13-01-01 | | |

Environmental Product Compliance

| | |
|--------------------------------------|--------------------------------------|
| REACH SVHC | Lead 7439-92-1 |
| SCIP | d2df479e-2b79-4e98-adc7-b03577df98ae |
| RoHS Compliance Status | Compliant with exemption |
| RoHS Exemption (if applicable/known) | 6c, 7a, 7cl |

Approvals

Approvals



| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads


| | |
|--------------------|--|
| User Documentation | Manual |
| Catalogues | Catalogues in PDF-format |
| Brochures | |

CRIMPFIX LZ

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings



CRIMPFIX LZ

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Accessories / replacement parts



- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

General ordering data

| | | |
|------------|----------------------------|--------------------------------------|
| Type | AIMESA CF LZ TIN | Version |
| Order No. | 1283520000 | Automatic machines, Replacement part |
| GTIN (EAN) | 4050118073669 | |
| Qty. | 1 pc(s). | |
| Type | AIMESA CF LZ | Version |
| Order No. | 1120900000 | Accessories, Replacement part |
| GTIN (EAN) | 4032248901753 | |
| Qty. | 1 pc(s). | |