



CIRCLIP PLIERS

EGA Master manufactures a wide range of Circlip pliers with black and polished finishing, made of Chrome-vanadium special steel.



1. Available in all common sizes of washers. From 3 to 200mm of diameter, both internal and external in straight or curved.

2. Its incorporated spring facilitates opening and speeds up the work.




3. Dipping handles for a guaranteed comfortable and anti slippery grip.

4. Manufactured in accordance with the standards UNE-16592/DIN 5254 and UNE-16593/DIN 5256.


5. The tips are slightly inclined for retaining the circlips and to avoid slippery.



EXTERNAL STRAIGHT




DIN 5254




COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	 O.D. mm	 g		
62214	150	36	23	8,5	0,9	3-10	105		
62215				9,5	1,2	10-25			
62183	175	43	25		1,8	19-60	140	6	•
62216	230	55	29	11	2,4	40-100	280		
62217	320	75	37	13	3,1	85-200	470		-

EXTERNAL BENT




DIN 5254




COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (°)				
65390	140	30	22	8,5	0,9	14	15	50	3-10	105	6	
62219	145				1,3	15			10-25			
62182	170	37	25	9,5	1,8	18	18		19-60	140		
65393	210		28	11	2,2	24	20		40-100	280		
65394	300	49	37	14	3,2	34	30		85-200	490		

COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (°)					
62218	140	30	22	8,5	0,9	14	15	90	3-10	105	6	●	
65391	145								10-25				
65392	170	37	25	9,5	1,8	18	18		19-60	140			
62220	210								40-100				280
62221	300	49	37	14	3,2	34	30		85-200	490			-

INTERNAL STRAIGHT



DIN 5256




COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)				
62222	150	36	16	8,5	1,2	8-13	100	6	●
62223					1,3	12-25			
62181	175	44	18	9,5	1,8	19-60	145		
62224	230	50	24	11	2,2	40-100	270		
62225	330	70	27	13	2,9	85-200	420		

INTERNAL BENT



DIN 5256



COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (°)				
62226	150	28	16	9,0	1,3	16	15	50	8-13	100	6	●
62227	170	33	18	10,0	1,7	20	17		12-25	150		
62180	215	35	25	11	2,1	24	24	90	19-60	270	-	-
65398	300	48	28	13	3	33	33		40-100	420		
65399									85-200			

COD.	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (°)				
65395	150	28	16	9,0	1,3	16	15	50	8-13	100	6	●
65396	170	33	18	10,0	1,7	20	17		12-25	150		
65397	215	35	25	11	2,1	24	24	90	19-60	270	-	-
62228	300	48	28	13	3	33	33		40-100	420		
62229									85-200			

KIT

COD.	PCS.
68540	4

PCS.	COD. PCS.		
1	62214	3-10	150 mm
	62218		
	62222	8-13	
	62226		

COD.	PCS.
68542	4

PCS.	COD. PCS.		
1	62183	19-60	180 mm
	62182		170 mm
	62181		180 mm
	62180		170 mm



COD.	PCS.
68541	4


PCS.	COD. PCS.		
1	62215	10-25	150 mm
	62219		
	62223	12-25	
	62227		

COD.	PCS.
62209	4


PCS.	COD. PCS.		
1	62216	40-100	230 mm
	62220		210 mm
	62224		220 mm
	62228		210 mm

MULTI CIRCLIPS





COD.	L (mm)				
62213	160	10-50	200	3	●



Pieza	COD
A	80753
B	80754
C	80755
D	80756
E	80757
F	80758
G	80759

TECHNICAL SPECIFICATIONS		
MATERIAL	Body	Chrome-Vanadium (Cr-V)
HARDNESS	General	45-50 HRC
FINISHING	Black and polished	