



Automatic Reverse Flow Prevention Couplings

Automatic Reverse Flow Prevention Couplings

AS-1+AP-1



AS-2+AP-2



GS-1+OP-1



GS-2+OP-2



AS-1



AP-1



AS-2



AP-2



GS-1



OP-1











GS-2



OP-2



For Hose to Hose Connections			
Gas	Size	Socket,Hose End	Plug,Hose End
Oxygen	1/4" Hose End	 AS-1(1/4" Hose End)	 AP-1(1/4" Hose End)
Acetylene	3/8" Hose End	 AS-2(3/8" Hose End)	 AP-2(3/8" Hose End)

For Gauge to Hose Connections			
Gas	Size	Socket,Female Thread	Plug,Hose End
Oxygen	M16XP1.5 and 1/4" Hose End	 GS-1(M16XP1.5)	 AP-1(1/4" Hose End)
Acetylene	M16XP1.5 and 3/8" Hose End	 GS-2(M16XP1.5)	 AP-2(3/8" Hose End)

For Welding Machine/Cutting Machine to Hose Connections

Gas	Size	Socket, Hose End	Plug, Female Thread
Oxygen	1/4" Hose End and M16XP1.5	 <p>AS-1(1/4" Hose End)</p>	 <p>OP-1(M16XP1.5)</p>
Acetylene	M16XP1.5 and 3/8" Hose End	 <p>AS-2(3/8" Hose End)</p>	 <p>OP-2(M16XP1.5)</p>

Energieweg 47 | Oosterhout | 4906 CG
T +31 (0) 0168 357755 | **F** +31 (0) 168 380227
E info@dkmtools.nl | **W** www.dkmtools.nl